

## DC920 Small Character Inkjet Printer



- Features:
- ◆ Printing speed, high speed up to 280 m/min
  - ◆ Printing Chinese characters up to 180 m/min
  - ◆ 70u nozzle
  - ◆ Easy to maintain
  - ◆ Online editing
  - ◆ Widely used in food, beverage, chemical, cable pipe and other industries.

### Simple

Simple ink system design,  
convenient daily use and  
maintenance.

### Reliable

Stable and reliable ink system,  
safe and efficient.

### Economical

Use and maintenance at ease,  
cost-effective choice.

### Print Results:



Official Website



WhatsApp

### Todaytec, LLC.

6701-K Northpark Blvd.  
Charlotte, NC 28216  
704.790.2440

[www.Todaytecllc.com](http://www.Todaytecllc.com)

Email: [CustomerService@Todaytecllc.com](mailto:CustomerService@Todaytecllc.com)

Features:

Printing specifications	<p>Production date, expiration date, lot number, graphics, logo, count, time, date, shift, etc.                      1 to 5 lines (32 dots)                      Printing speed:280m/min (5*5, single line)                      Direct input simplified Chinese, traditional Chinese, English, Arabic, Persian, support vector fonts</p>
Interfaces	<p>10.1-inch touch screen                      Universal USD interface, plug and play, easy backup and restore print text and configuration                      Ethernet communication interface (10~100MB)                      Supports RS232-485 communication                      Security code, variable barcode printing, QR code, etc.</p>
Software function	<p>Android control system, easy to use, stable and reliable. Multi-language software interface, easy to switch                      User friendly interface-WYSIWYG. Built-in full-screen graphics editor, easy to edit graphics and logo                      8GB memory storage space; Upgrade software over Ethernet. Pop-up periodic device maintenance reminder function                      RUN/STOP hotkeys automatically switch on and off the machine                      Real-time date and time display                      Preset standard and multi-line high speed print mode to meet different user needs                      A variety of text formats: mirror flip, up and down flip, anti-white, bold, double point spacing and so on                      Text can add up to 3 counters and 4 shifts                      OPS synchronous printing reverse compensation function                      DMS automatically calculates the meter pulse                      Multi-level passwords assign different permissions to different users</p>
Types of ink	<p>Full range of ink, specific type and parameters shall be subject to sampling test</p>
Certification	<p>TUV-ISO9001 quality system                      CE(EMC,MD&amp;LVD)</p>
Appearance parameter	<p>Stainless steel case, IP54 protection rate                      Standard umbilical:20 mm in diameter, 2.5 m in length                      Cabinet dimensions: height 576 mm x width 360 mm x depth 328 mm                      Nozzle dimensions:210 mm * 45 mm * 50 mm                      Net weight:27 kg                      Power input:110~220V, 50/60Hz; multi-specification power plug is optional</p>
Environment	<p>Temperature:4~45°C (35~100°F)                      Humidity: maximum 90%, no condensation</p>
Optional accessories	<p>Photoelectric eye sensor, encoder                      Tri-color alarm light                      Print head bracket, meter counting holder for cables                      Solvent condensate recovery device, nozzle positive air pressure pump                      Adjustable speed conveyor belt</p>

Size:



## DC930&DC940 Small Character Inkjet Printer



- Features:
- ◆Printing speed, high speed up to 410 m/min
  - ◆Printing Chinese characters up to 220 m/min
  - ◆Multi nozzle: 70u, 55u, 42u nozzle
  - ◆Various ink colors: black, white, blue, red, etc
  - ◆Easy to maintain
  - ◆Online editing
  - ◆Widely used in food, beverage, chemical, cable pipe and other industries.

### Simple

Simple ink system design,  
convenient daily use and  
maintenance.

### Reliable

Stable and reliable ink system,  
safe and efficient.

### Economical

Use and maintenance at ease,  
cost-effective choice.

### Print Results:



Official Website



WhatsApp

### Todaytec, LLC.

6701-K Northpark Blvd.  
Charlotte, NC 28216  
704.790.2440

[www.Todaytecllc.com](http://www.Todaytecllc.com)

Email: [CustomerService@Todaytecllc.com](mailto:CustomerService@Todaytecllc.com)

Features:

Printing specifications	<p>Production date, expiration date, lot number, graphics, logo, count, time, date, shift, etc                  DC930:1 to 5 lines (32 dots); DC940:1 to 8 lines (48 dots)                  Printing speed:410m/min (5*5, single line)                  Direct input simplified Chinese, traditional Chinese, English, Arabic, Persian, support vector fonts</p>
Interfaces	<p>10.1-inch touch screen                  Universal USD interface, plug and play, easy backup and restore printed text and configuration                  Ethernet communication interface (10~100MB)                  Supports RS232-485 communication                  Security code, variable barcode printing, QR code, etc</p>
Software function	<p>Android control system, easy to use, stable and reliable. Multi-language software interface, easy to switch                  User friendly interface-WYSIWYG. Built-in full-screen graphics editor, easy to edit graphics and logo                  8GB memory storage space; Upgrade software over Ethernet. Pop-up periodic device maintenance reminder                  RUN/STOP hotkeys automatically switch on and off the machine                  Real-time date and time display                  Preset standard and multi-line high speed print mode to meet different user needs                  A variety of text formats: mirror flip, up and down flip, anti-white, bold, double point spacing and so on                  Text can add up to 3 counters and 4 shifts                  OPS synchronous printing reverse compensation function                  DMS automatically calculates the meter pulse                  Multi-level passwords assign different permissions to different users</p>
Types of ink	Full range of ink, pigment and dye inks, multi colors. The specific type and parameters shall be subject to the sampling test
Certification	<p>TUV-ISO9001 quality system                  CE(EMC,MD&amp;LVD)</p>
Appearance parameter	<p>Stainless steel case, IP54 protection rate                  Standard umbilical:20 mm in diameter, 2.5 m in length                  Cabinet dimensions: height 576 mm x width 360 mm x depth 328 mm                  Nozzle dimensions:210 mm * 45 mm * 50 mm                  Net weight:27 kg                  Power input:110~220V, 50/60Hz; Multi-specification power plug is optional</p>
Environment	<p>Temperature:4~45°C (35~100°F)                  Humidity: maximum 90%, no condensation</p>
Optional accessories	<p>Photoelectric eye sensor, encoder                  Tri-color alarm light                  Print head bracket, meter counting holder for cable                  Solvent condensate recovery device, nozzle positive air pressure pump                  Adjustable speed conveyor belt</p>

Size:






## DE Serial TIJ Printer


- With a 7 inch touch screen as controller, can edit directly, easy to use.
- Maximum support 2 print heads and can combine or separate freely according to print requires.
- High system integration, small in size, less components, easy installation and maintenance
- Metal cover design which makes printer more stable
- Non-contact RFID lock system which makes it more stably read the cartridge.
- It supports to print database with text and barcode.
- With competitive cost in the package market.




No  
Maintenance




Industrial  
Design



HP  
INK 2.5



Small  
Size



Easy  
Operation

**Multiple Heads · Reliable · Easy Operation**



**Todaytec, LLC.**  
 6701-K Northpark Blvd.  
 Charlotte, NC 28216  
 704.790.2440  
[www.Todaytecllc.com](http://www.Todaytecllc.com)  
 Email: CustomerService@Todaytecllc.com

## Features:

Print height	DE-1      12.7mm DE-2      25.4mm
Print speed	40m/min
Print Resolution	150-300 DPI
Print system	HP TIJ 2.5
Interface type	USB / Network
Apply industries	1.Food & Beverage , daily chemical, pharmaceuticals, building material, chemical etc. 2.High speed flexo film print 3.Carton manufacture and print industry
Ink system	Can use together with UISS ink system
Ink type	Water / Solvent based, multi-color
Sensor	Simulation sensor / External sensor
Encoder	Simulation speed / External encoder
Other special functions	Also supports to print the real time, shift code, Julian date

## Print Results:





## EP Serial TIJ Printer

- Technology HP TIJ 2.5
- 10 inch touch screen
- Large capacity database
- Fast & easy installation, no maintenance
- High print speed & resolution
- Can print real time data




### Strong software

EP JET is equipped with strong software and driving board, so it can save and print large quantity of database. And max print speed in production line can reach 120m/min.

### More print heads

The touch screen is bigger, with max 4 print heads and print height can reach 50.8mm.



## Multiple Heads · Reliable · Easy Operation



**Todaytec, LLC.**  
 6701-K Northpark Blvd.  
 Charlotte, NC 28216  
 704.790.2440

[www.Todaytecllc.com](http://www.Todaytecllc.com)

Email: [CustomerService@Todaytecllc.com](mailto:CustomerService@Todaytecllc.com)

## Features:

Print height	EP-1      12.7mm ..... EP-4      50.8mm
Max Print speed	120m/min @300*150 DPI
Print Resolution	150-600 DPI
Print content	Text, Time, Image, Database, Counter, Variable Barcode, Julian date, shift code, Self-define time
Barcode type	PDF417, QR CODE, DATAMATRIX, GS1, EAN8, EAN128, CODE25, CODE128, etc. Simulation speed/Simulation sensor
Interface type	USB/Sensor/Wncoder/Warning Light/LAN/IO
Display screen	10 inch touch screen
Accessories(include)	Touch screen, 2m connection cable, Power, Print head, Sensor, Warning Light, Touch pen, Bracket
Accessories(optional)	Encoder
Menu language	English, Simplified Chinese, Traditional Chinese, Korean, Spanish, (will be more)
Print content language	English, Simplified Chinese, Traditional Chinese, Korean/Arabic, Spanish, Portuguese, Russian, Indonesian, French
Max power	120W
Power	110-220VAC 50/60Hz
Temperature/humidity	5 C ~ 35 C / 10 C ~ 90 C
Weight	3.9kg
Ink Cartridge	42ml Ink cartridge. Including: water based, solvent based, multicolor, invisible, etc.
Ink supply	42ml+370ml Ink bag 500ml bulk ink supply
Connection	USB LAN

## Print Results:

